ANTI-WRINKLE BASE

100.39.1.1

PORE FILLING. LONG LASTING. MINIMALISTIC FORMULATION.

Alternative preservation: Cosphaderm® Octiol, Cosphaderm® Propanediol natural

Phase	Ingredient	COSMOS	INCI	Supplier	%
A	Glycerin		Glycerin	-	6.00
A	Natrosol® 250 HX		Hydroxyethylcellulose	-	1.00
A	Cosphaderm® Propanediol natural	✓	Propanediol	Cosphatec GmbH	4.50
A	Cosphaderm® Sodium Hyaluronate high	✓	Sodium Hyaluronate	Cosphatec GmbH	0.20
B	Demin. Water		Aqua	-	88.00
C	Cosphaderm® Octiol		Caprylyl Glycol	Cosphatec GmbH	0.30
C	Phenylpropanol		Phenylpropanol	-	0.20

MANUFACTURING PROCESS

Phase A: Disperse the thickeners in glycerol and Cosphaderm® Propanediol natural.
Phase B: Add demin. water and stir until everything is dissolved.
Phase C: Add phase C to A/B.
Adjust the pH to 5.5 ± 0.05.

SPECIFICATION

Appearance: Translucent, viscous gel
pH: 5.5 ± 0.05
Stability: No separation after centrifugation (4000 rpm, 30 min), stable for 3 months at room temperature and 40 °C
Microbiological stability: proven

Disclaimer: This formulation proposal and our technical application advice are given to the best of our knowledge, but it is for information purposes only and no responsibility is assumed.

Cosphatec GmbH
Hopfenmarkt 33
20457 Hamburg