HYDRO PLUS HYALURON AMPOULE

NEW

Cosphatec

100.115.1.1

MOISTURISING. PLUMPING. ANTI-AGEING.

ALL NATURAL INGREDIENTS

Alternative preservation: Cosphaderm® Butiol natural, Cosphaderm® GMCY

Phase	Ingredient	COSMOS	INCI	Supplier	%
A	Demin. Water		Aqua	-	85.60
A	Glycerin		Glycerin	-	3.00
A	Aloe Vera Powder		Aloe Barbadensis Leaf Juice Powder	-	0.10
A	Cosphaderm® Butiol natural	✓	Butylene Glycol	Cosphatec GmbH	8.00
B	Cosphaderm® Sodium Hyaluronate	✓	Sodium Hyaluronate	Cosphatec GmbH	0.40
B	Cosphaderm® Sodium Hyaluronate high	✓	Sodium Hyaluronate	Cosphatec GmbH	0.10
B	Cosphaderm® Sodium Hyaluronate low 5	✓	Sodium Hyaluronate	Cosphatec GmbH	0.10
C	Sepiclear™ G7		Heptyl Glucoside	SEPPIC, S.A.	2.40
C	Cosphaderm® GMCY	✓	Glyceryl Caprylate	Cosphatec GmbH	0.30

MANUFACTURING PROCESS

Phase A: Combine all ingredients of phase A and stir until everything is dissolved.
Phase B: Premix all ingredients of phase B and add to phase A while stirring.
Phase C: Combine the ingredients of phase C and add them to the formulation. Stir until everything is homogeneous.
Adjust pH to 5.5 ± 0.05.

SPECIFICATION

Appearance: Clear, transparent, low viscous gel
pH: 5.5 ± 0.05
Stability: No separation after centrifugation (4000 rpm, 30 min), stable for 3 months at room temperature and 40 °C
Microbiological stability: proven

Disclaimer: This formulation proposal and our technical application advice are given to the best of our knowledge, but it is for information purposes only and no responsibility is assumed.

Cosphatec GmbH
Hopfenmarkt 33
20457 Hamburg