

HYDRO PLUS HYALURON AMPOULE

100.115.1.1

MOISTURISING. PLUMPING. ANTI-AGEING.

Alternative preservation: Cosphaderm® Butiol natural, Cosphaderm® GMCY

NEW

Cosphatec

ALL NATURAL
INGREDIENTS

Phase	Ingredient	COSMOS	INCI	Supplier	%
A	Demin. Water		Aqua	-	85.60
A	Glycerin		Glycerin	-	3.00
A	Aloe Vera Powder		Aloe Barbadensis Leaf Juice Powder	-	0.10
A	Cosphaderm® Butiol natural	✓	Butylene Glycol	Cosphatec GmbH	8.00
B	Cosphaderm® Sodium Hyaluronate	✓	Sodium Hyaluronate	Cosphatec GmbH	0.40
B	Cosphaderm® Sodium Hyaluronate high	✓	Sodium Hyaluronate	Cosphatec GmbH	0.10
B	Cosphaderm® Sodium Hyaluronate low 5	✓	Sodium Hyaluronate	Cosphatec GmbH	0.10
C	Sepiclear™ G7		Heptyl Glucoside	SEPPIC, S.A.	2.40
C	Cosphaderm® GMCY	✓	Glyceryl Caprylate	Cosphatec GmbH	0.30

MANUFACTURING PROCESS

Phase A: Combine all ingredients of phase A and stir until everything is dissolved.

Phase B: Premix all ingredients of phase B and add to phase A while stirring.

Phase C: Combine the ingredients of phase C and add them to the formulation. Stir until everything is homogeneous.

Adjust pH to 5.5 ± 0.05 .

SPECIFICATION

Appearance: Clear, transparent, low viscous gel

pH: 5.5 ± 0.05

Stability: No separation after centrifugation (4000 rpm, 30 min), stable for 3 months at room temperature and 40 °C

Microbiological stability: proven

Disclaimer: This formulation proposal and our technical application advice are given to the best of our knowledge, but it is for information purposes only and no responsibility is assumed.