

# SOOTHING BODY LOTION

NEW

Cosphatec

200.126.1.1

VELVET. REGENERATING. FAST-ABSORBING.

ALL NATURAL  
INGREDIENTS

**Alternative preservation: Cosphaderm® Sodium LAAS,  
Cosphaderm® Octiol natural**

Phase	Ingredient	COSMOS	INCI	Supplier	%
A	Demin. Water		Aqua	-	77.70
A	Glycerin		Glycerin	CREMER OLEO GmbH & Co. KG	2.00
A	Cosphaderm® Sodium LAAS	✓	Sodium Levulinate, Sodium Anisate	Cosphatec GmbH	1.00
A	Cosphaderm® Octiol natural	✓	Caprylyl Glycol	Cosphatec GmbH	0.30
A	Cosphaderm® X soft	✓	Xanthan Gum	Cosphatec GmbH	0.50
B	Cosphaderm® SF-75H	✓	Hydrogenated Lecithin	Cosphatec GmbH	0.50
C	Cosphaderm® GS Connect	✓	Glyceryl Stearate Citrate	Cosphatec GmbH	2.50
C	Lanette® 16		Cetyl Alcohol	BASF SE	1.20
C	Shea Butter refined		Butyrospermum Parkii Butter	Gustav Heess GmbH	3.00
C	Jojoba Oil		Simmondsia Chinensis Seed Oil	Gustav Heess GmbH	3.00
C	Cetiol® CC		Dicaprylyl Carbonate	BASF SE	2.00
C	MCT Oil Typ V Ph. Eur.		Caprylic/Capric Triglyceride	Gustav Heess GmbH	4.00
C	Squalane		Squalane	-	2.00
D	Cosphaderm® Tocopharin	✓	Carnosic Acid, Tocopherol, Helianthus Annuus Seed Oil	Cosphatec GmbH	0.30

## MANUFACTURING PROCESS

Phase A: Combine all ingredients of phase A and stir until everything is completely dissolved.

Phase B: Add phase B to the water phase while stirring. Then heat the water phase to 70-75 °C.

Phase C: Combine all ingredients of phase C and heat to 75°C.

Add phase C to the water phase while stirring. Add phase D to the emulsion and homogenise.

Adjust the pH to 5.5 ± 0.05.

## SPECIFICATION

Appearance: white, slightly beige viscous lotion

pH: 5.5 ± 0.05

Stability: No separation after centrifugation (4000 rpm, 30 min), stable for 3 months at room temperature and 40 °C

Microbiological stability: proven