

BATH BOMB

NEW

Cosphatec

300.68.1.1

FIZZY. SOOTHING. RELAXING.

Alternative preservation: Cosphaderm® GMCY

ALL NATURAL
INGREDIENTS

Phase	Ingredient	COSMOS	INCI	Supplier	%
A	Sodium Bicarbonate		Sodium Bicarbonate	-	42.00
A	Citric Acid		Citric Acid	-	21.00
A	Corn Starch		Zea Mays Starch	-	20.00
A	Cosphaderm® X 34	✓	Xanthan Gum	Cosphatec GmbH	0.20
A	BergaSoft SCI 80		Sodium Cocoyl Isethionate	Berg + Schmidt GmbH & Co. KG	2.50
B	Cosphaderm® GMCY	✓	Glyceryl Caprylate	Cosphatec GmbH	0.80
B	Coconut Oil		Coco Nucifera Oil	Gustav Heess GmbH	13.50

Manufacturing Process

Phase A: Combine all ingredients of phase A.

Phase B: Melt all ingredients of phase B (35-40°C) and add to phase A. Mix until everything is homogeneous.

Press mixture into molds.

Specification

Appearance: Solid, white bar

Stability: Microbiological stability proven (Water activity value less than 0.75)