

JELLY EYE PATCHES

Cosphatec

100.88.1.1

HYDRATING. REFRESHING. ANTI-AGEING.

**Alternative preservation: Cosphaderm® Heptiol natural,
Cosphaderm® Pentiol natural**

Phase	Ingredient	COSMOS	INCI	Supplier	%
A	Demin. Water		Aqua	-	87.60
A	Cosphaderm® Pentiol natural	✓	Pentylene Glycol	Cosphatec GmbH	4.00
A	Cosphaderm® Heptiol natural	✓	1,2-Heptanediol	Cosphatec GmbH	1.00
A	Glycerin		Glycerin	CREMER OLEO GmbH & Co. KG	3.00
A	Cosphaderm® Sodium Hyaluronate high	✓	Sodium Hyaluronate	Cosphatec GmbH	0.20
A	Cosphaderm® Sodium Hyaluronate low	✓	Sodium Hyaluronate	Cosphatec GmbH	0.20
A	Cosphaderm® X 34	✓	Xanthan Gum	Cosphatec GmbH	0.50
A	Cosphaderm® KG	✓	Amorphophallus Konjac Root Extract	Cosphatec GmbH	0.50
A	RonaCare® Nicotinamide		Niacinamide	Merck KGaA	3.00
B	Cosmetic Colour			-	q.s.

MANUFACTURING PROCESS

Phase A: Prepare phase A and stir until dispersed. Adjust the pH to 6.5 ± 0.05 .

Phase B: Add colour if wanted.

Heat the mixture to 80-90°C and keep this temperature for 2 – 3 minutes.

Quickly pour the hot mixture into a casting mould and let it cool.

SPECIFICATION

Appearance: Translucent or coloured, elastic gel

pH: 6.5 ± 0.05

Stability: Microbiological stability proven, no separation after centrifugation (4000 rpm, 30 min)