

# URBAN ANTI-POLLUTION SKIN ELIXIR

Cosphatec

100.18.2.1

ANTI-POLLUTION. HIGH SPREADABILITY. ANTI-AGEING.

**Alternative preservation: Cosphaderm® Propanediol natural**

Phase	Ingredient	COSMOS	INCI	Supplier	%
A	Demin. Water		Aqua	-	64.30
A	Cosphaderm® Sodium Hyaluronate	✓	Sodium Hyaluronate	Cosphatec GmbH	0.10
A	Cosphaderm® Sodium Hyaluronate low	✓	Sodium Hyaluronate	Cosphatec GmbH	0.10
A	Cosphaderm® Propanediol natural	✓	Propanediol	Cosphatec GmbH	10.00
A	Cosphaderm® X soft	✓	Xanthan Gum	Cosphatec GmbH	0.50
A	Cosphaderm® Leo		Dipropylene Glycol, Ethylhexylglycerin, Caprylhydroxamic Acid	Cosphatec GmbH	2.70
B	Cosphaderm® SF-75H	✓	Hydrogenated Lecithin	Cosphatec GmbH	3.00
B	Ecorol® 16/98 P		Cetyl Alcohol	Ecogreen Oleochemicals	1.00
B	Cosphaderm® Feel	✓	Triheptanoïn	Cosphatec GmbH	4.00
B	Babassu Oil		Orbignya Oleifera Seed Oil	Gustav Heess GmbH	4.00
B	Apricot Kernel Oil		Prunus Armeniaca Kernel Oil	Gustav Heess GmbH	4.00
B	Sesame Oil		Sesamum Indicum Seed Oil	Gustav Heess GmbH	3.00
B	Evening Primrose Oil		Oenothera Biennis Oil	Gustav Heess GmbH	1.00
B	Rosehip Seed Oil		Rosa Canina Fruit Oil	Gustav Heess GmbH	1.00
B	Grape Seed Oil		Vitis Vinifera Seed Oil	Gustav Heess GmbH	1.00
B	Cosphaderm® T-70 NON GMO		Tocopherol, Helianthus Annuus Seed Oil	Cosphatec GmbH	0.20
B	Cosphaderm® E-1000 NON GMO		Tocopherol, Helianthus Annuus Seed Oil	Cosphatec GmbH	0.10

## Manufacturing Process

Phase A: Prepare phase A and stir until complete dissolution.

Phase B: Prepare phase B and heat to 50 °C until everything is melted. Let the mixture cool down to room temperature.

Add phase B to phase A and homogenise for 3 minutes.

Adjust the pH to 5.5 ± 0.05.

## Specification

Appearance: White, shiny emulsion

pH: 5.5 ± 0.05

Stability: Microbiological stability proven, no separation after centrifugation (4000 rpm, 30 min)